

# **DURABLE AND SUPPLE CHEMICAL RESISTANT GAUNTLET**

Resistant to chemicals, oils and acids with good abrasion resistance.

### **FEATURES**

- > Fully coated, with an extra coating over entire hand
- > Rough surface enhances grip and durability
- > Comfortable cotton lining
- Anti-bacterial treatment (interior)
- Scalloped edge
- > Thickness: 0.8mm
- > Length: 30-32cm (depending on size)











### **SUITABLE FOR**

# **Typical Industries**

- Automotive
- Chemical
- Cleaning
- Construction

# **Suitable Applications**

- Industrial Maintenance
- Janitorial
- Mechanics

# **CERTIFICATION** EN ISO 374-1:2016/Type B CAT III EN 388:2016 0120 4111X See overleaf for explanation







# **PRODUCT INFORMATION**

MATERIALS	LINER:	Cotton	
	COATING:	Nitrile	
COLOUR	Yellow		
LENGTH (mm)	300 (size dependent)		
CUFF STYLE	Gauntlet		

### **ORDERING DETAILS**

SIZE	CODE	PACKAGING
8/M 9/L 10/XL	SHO7712 SHO7713 SHO7714	10 pairs per bag 120 pairs per case

#### **RECOMMENDATIONS FOR USE**

- USE: Chemical resistant glove. Not suitable for thermal, electrical protection. Do not use near moving machines if there is a risk of entanglement
- STORAGE: Store in dry conditions in the original packaging and away from direct sunlight
- CLEANING: To clean, wipe with a damp cloth. Note: The performance characteristics of worn and laundered gloves may differ from the results shown. Inspect the gloves to ensure no damage is present
- LIFETIME: Service life depends on the glove application and therefore cannot be specified. It is the responsibility of user to ensure the glove is suitable for its intended use

PROTECTION AGAINST


MICRO-ORGANISMS EN 374-5 VIRUS = Glove has passed ISO 16604: 2004 (method B)

8

#### **CERTIFICATION LEGENDS**



MECHANICAL HAZARDS EN 388:2016 PERFORMANCE LEVELS\*



\*If tests are not performed or are not applicable, 'X' will be placed instead of a number/letter



**EUROPE** 

www.globusgroup.com

E: sales@globus.co.uk

+44 (0)161 877 4747

+44 (0)161 877 4746

#### RESISTANCE TO CHEMICAL PERMEATION - EN ISO 374:2016

CODE	CHEMICAL	CODE	CHEMICAL
A	Methanol	J	n-Heptane
В	Acetone	K	Sodium hydroxide 40%
C	Acetonitrile	L	Sulphuric acid 96%
D	Dichloromethane	M	65% Nitric acid
E	Carbon Disulfide	N	99% Acetic acid
F	Toluene	0	25% Ammonium hydroxide
G	Diethylamine	Р	30% Hydrogen peroxide
Н	Tetrahydrofurane	S	40% Hydrofluoric acid
I	Ethyl acetate	T	37% Formaldehyde

GLOVES	TIME
Α	≥30 min for at least 6 chemicals
В	≥30 min for at least 3 chemicals
С	≥10 min for at least 1 chemical

# Globus<sup>®</sup> GROUP

#### MIDDLE EAST AND AFRICA

#### www.globusgroup.com/gcc

E: gcc@globusgroup.com T: +971 4 882 9962 F: +971 4 882 9963

Globus Group, T2 Trafford Point, Twining Road, Trafford Park, Manchester, M17 1SH, UNITED KINGDOM Globus EMEA FZE, Jafza One, Tower A, Office 2201, Jebel Ali, PO Box 61195, Dubai, UNITED ARAB EMIRATES

©2020 Globus (Shetland) Ltd | SHO-DATA-771\_0620\_1