SKYTEC° ARIA™

NITRILE FOAM PALM WITH 3D MOISTUREVAP BREATHABILITY

Excellent resistance to abrasion. Outstanding durability and grip.

FEATURES

- > Level 4 abrasion resistance
- > Superior comfort and dexterity
- > Anatomically engineered for maximum fit
- > Excellent grip in both wet and dry environments
- > An Oeko-Tex[™] certified product
- > Seamless nylon/spandex liner
- > Patented nitrile foam palm coating enhances protection
- > Sanitized[®] antimicrobial finish provides extra freshness
- > Light thermal protection up to 100°C for a short period





Typical Industries

- Automotive
- Logistics
- Maintenance
- Manufacturing
- Oil and Gas
- Utilities

Suitable Applications

- Assembly
- Goods Handling
- Light Fabrication
- Quality Inspection
- Warehousing

CERTIFICATION







See overleaf for explanation

4131X





SKYTEC° ARIA™


PRODUCT INFORMATION

MATERIALS	LINER:	15 gauge nylon, spandex
	COATING:	Foam nitrile
COLOUR	Grey / Black	
LENGTH (mm)	250 (size dependent)	
CUFF STYLE	Elasticated knit wrist	

ORDERING DETAILS

SIZE	CODE	PACKAGING
7/S 8/M 9/L 10/XL 11/XXL	SKY491 SKY492 SKY493 SKY494 SKY495	10 pairs per bag 120 pairs per case

CERTIFICATION LEGENDS



*If tests are not performed or are not applicable, 'X' will be placed instead of a number/letter

RECOMMENDATIONS FOR USE

- USE: General handling glove. Not suitable for thermal, electrical or chemical protection. Do not use near moving machines if there is a risk of entanglement
- STORAGE : Store in dry conditions in the original packaging and away from direct sunlight
- CLEANING: To clean, wipe with a damp cloth. Note: The performance characteristics of worn and laundered gloves may differ from the results shown. Inspect the gloves to ensure no damage is present.
- LIFETIME: Service life depends on the glove application and therefore cannot be specified. It is the responsibility of user to ensure the glove is suitable for its intended use

EN 407 57 PERFORMANCE LEVELS 0-4 0-4 0-4 0-4 0-4 0-4 Resistance to Large Splashes of Molten Metal Resistance to Small Drops Of Molten Metal Radiant Heat Resistance Convective Heat Resistance Contact Heat Resistance Burning Behaviour

HEAT AND FIRE

EUROPE

www.globusgroup.com

- E: sales@globus.co.uk
- +44 (0)161 877 4747 T:
- +44 (0)161 877 4746 F:

MIDDLE EAST AND AFRICA

www.globusgroup.com/gcc

- E: gcc@globusgroup.com
- +971 4 882 9962 **T:**
- F: +971 4 882 9963

Globus Group, T2 Trafford Point, Twining Road, Trafford Park, Manchester, M17 1SH, UNITED KINGDOM Globus EMEA FZE, Jafza One, Tower A, Office 2201, Jebel Ali, PO Box 61195, Dubai, UNITED ARAB EMIRATES



© 2021 Globus (Shetland) Ltd | SKY-DATA-ARIA-0420_1

EU Type-Examination Certificate issued by SATRA Technology Europe Limited. Bracetown Business Park. Clonee. D15YN2P. Republic of Ireland. (Notified Body No. 2777) The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.