



ULTRA-THIN CUT RESISTANT GLOVE WITH PU COATING

As the thinnest option available on the market with a high cut resistance (level D), Sapphire Nano offers an outstanding level of tactility to perform extreme precision tasks. With a PU-coated palm, the second skin feeling has never been better.

FEATURES

- Medium to high cut resistance: Level D (EN 388:2016)
- 21 gauge seamless liner offers unprecedent level of fingertip sensitivity for precision tasks
- Durable polyurethane palm coating ensures good protection against abrasion
- Reinforced thumb crotch enhances durability
- > Designed for easy movement and continuous wear
- > Breathable back of hand to reduce perspiration
- > Seamless knit prevents irritation
- > Elasticated wrist provides a secure fit







SUITABLE FOR

Typical Industries

- Automotive
- Construction
- Logistics
- Maintenance
- Manufacturing
- Transport

Suitable Applications

- Assembly
- Handling Sharp and Greasy Parts
- Machining
- Bodywork
- Precision Mechanics

CERTIFICATION





3Y42D

See overleaf for explanation







SKYTEC SAPPHIRE NANO™

PRODUCT INFORMATION

MATERIALS	LINER:	21g HPPE, steel, nylon	
	COATING:	Polyurethane	
COLOUR	Black		
LENGTH (mm)			
CUFF STYLE			

ORDERING DETAILS

SIZE	CODE	PACKAGING	
6/XS 7/S 8/M 9/L 10/XL 11/XXL	SKG00033FB SKG00033FD SKG00033FF SKG00033FH SKG00033FJ SKG00033FL	10 pairs per bag 120 pairs per case	

RECOMMENDATIONS FOR USE

- USE: General handling glove with cut protection. Not suitable for heat, thermal, electrical, chemical protection. Do not use near moving machines if there is a risk of entanglement.
- STORAGE: Store in dry conditions in the original packaging and away from
- CLEANING: To clean, wipe with a damp cloth. Note: The performance characteristics of worn and laundered gloves may differ from the results shown. Inspect the gloves to ensure no damage is present.
- LIFETIME: Service life depends on the glove application and therefore cannot be specified. It is the responsibility of user to ensure the glove is suitable for its intended use.

CERTIFICATION LEGENDS



MECHANICAL HAZARDS EN 388:2016 PERFORMANCE LEVELS*



*If tests are not performed or are not applicable, 'X' will be placed instead of a number/letter

EUROPE

www.globusgroup.com

E: sales@globus.co.uk +44 (0)161 877 4747 +44 (0)161 877 4746

MIDDLE EAST AND AFRICA

www.globusgroup.com/gcc

E: gcc@globusgroup.com +971 4 882 9962 F: +971 4 882 9963



Globus Group, T2 Trafford Point, Twining Road, Trafford Park, Manchester, M17 1SH, UNITED KINGDOM Globus EMEA FZE, Jafza One, Tower A, Office 2201, Jebel Ali, PO Box 61195, Dubai, UNITED ARAB EMIRATES

© 2022 Globus (Shetland) Ltd | SKY-DATA-SAPP-NANO-0122_1