



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Date first issue: 01/08/2008 Review date: 14/02/2023 Supersedes version of: 09/02/2021 Version: 7.2

Product form	: Mixture	
Product name	: AHS	
Product code	: 222	
Type of product	: Cosmetic product	
Product group	: Mixture	
1.2. Relevant identified uses of the substance	e or mixture and uses advised against	
1.2.1. Relevant identified uses		
Main use category	: Professional use, Industrial use	
Industrial/Professional use spec	: Industrial For professional use only	
1.2.2. Uses advised against		
No additional information available		
1.3. Details of the supplier of the safety data s	sheet	
Manufacturer	Supplier	
Clover Chemicals Ltd	Christeyns NV	
Clover House Macclesfield Road	Afrikalaan 182	
SK23 7DQ Whaley Bridge – Derbyshire	9000 GENT	
United Kingdom T 01663 733114 - F 01663 733115	Belgium T +32 (0)9/ 223 38 71 - F +32 (0)9/ 233 03 44	
info@cloverchemicals.com - www.cloverchemicals.com		

1.4. Emergency telephone number

Country	Official advisory body	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2	H225
Serious eye damage/eye irritation, Category 2	H319
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP)



	GHS02 GHS07
CLP Signal word	: Danger
Contains	: Aqua; ALCOHOL DENAT.; PPG-5-CETETH-20; 2-phenoxyethanol; Triethanolamine; Acrylates/C10-30 Alkyl Acrylate Crosspolymer
Hazard statements (CLP)	: H225 - Highly flammable liquid and vapour. H319 - Causes serious eye irritation.
Precautionary statements (CLP)	: P102 - Keep out of reach of children. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

contact lenses, if present and easy to do. Continue rinsing. P312 - Call a POISON CENTRE or doctor if you feel unwell. P370+P378 - In case of fire: Use media other than water to extinguish.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethanol substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, LT, LV, NL, PL, PT, RO, SE, SI, SK, IS, NO, CH)	CAS-no: 64-17-5 Einecs nr: 200-578-6 EG annex nr: 603-002-00-5 REACH-no: 01-2119457610- 43	30 – 60	Flam. Liq. 2, H225 Eye Irrit. 2, H319
2-phenoxyethanol	CAS-no: 122-99-6 Einecs nr: 204-589-7 EG annex nr: 603-098-00-9 REACH-no: 01-2119488943- 21	< 1	Acute Tox. 4 (Oral), H302 STOT SE 3, H335 Eye Dam. 1, H318

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures				
General advice	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).			
Inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest. Get immediate medical advice/attention.			
Eye contact	 In case of eye contact, immediately rinse with clean water for 10-15 minutes. If eye irritation persists: Get medical advice/attention. 			
Ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.			
4.2. Most important symptoms and effects, both acute and delayed				
Acute effects skin	: None under normal conditions.			
Acute effects eyes	: Causes serious eye irritation. Redness.			
Acute effects oral route	: May cause irritation to the digestive tract.			
4.3. Indication of any immediate medical attention and special treatment needed No additional information available				
SECTION 5: Firefighting measures 5.1. Extinguishing media				
Suitable extinguishing media	: dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).			
5.2. Special hazards arising from the substa Fire hazard	ance or mixture : Flammable liquid and vapour.			
Explosion hazard	: May form flammable/explosive vapour-air mixture.			

Hazardous decomposition products in case of fire : Toxic fumes may be released. Carbon dioxide. Carbon monoxide.

5.3. Advice for firefighters

Firefighting instructions

Protection during firefighting

chemical fire. Prevent fire fighting water from entering the environment.

: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

: Do not enter fire area without proper protective equipment, including respiratory protection.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

- : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

Methods for cleaning up

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable.
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools.
7.2. Conditions for safe storage, includi	ng any incompatibilities
Technical measures	: Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting

	equipment.
Storage conditions	: Keep only in original container. Store in a cool, well-ventilated place. Keep container tightly closed.
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.
Packaging materials	: polyethylene. stainless steel.
7.3. Specific end use(s) No additional information available	

SECTION 8: Exposure controls/personal protection 8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Ethanol (64-17-5)		
United Kingdom - Occupational Exposure Limits		
Local name	Ethanol	
WEL TWA (OEL TWA) [1]	1920 mg/m ³	
WEL TWA (OEL TWA) [2]	1000 ppm	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available **8.2. Exposure controls**

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

No additional information available

8.2.2.2. Skin protection No additional information available

8.2.2.3. Respiratory protection

No additional information available

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Physical state/form	: Liquid.
Odour	: Alcohol. Characteristic.
Odour threshold	: Not available
Melting point/range	: -23 °C
Freezing point	: Not available
Boiling point/Boiling range	: 78 °C
Flammability	: Flammable liquid and vapour.
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 26.5 °C
Autoignition temperature	: Not available
Decomposition temperature	: Not available
рН	: 6.8 – 7.8
Viscosity, kinematic	: Not available
Viscosity, dynamic	: > 3000 cP at 20 °C
Solubility	: Soluble in water. Soluble in ethanol.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 0.907 – 0.913
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable
0.2 Other information	

9.2. Other information

9.2.1. Information with regard to physical hazard classes No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Ethanol (64-17-5)	
LC50 Inhalation - Rat (Vapours)	51 mg/l/4h
2-phenoxyethanol (122-99-6)	
ATE CLP (oral)	500 mg/kg bodyweight
Skin corrosion/irritation	: Not classified
	pH: 6.8 – 7.8
Additional information	: Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Causes serious eye irritation.
	рН: 6.8 – 7.8
Respiratory or skin sensitisation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Ethanol (64-17-5)	

NOAEL (oral, rat)	1730 mg/kg bodyweight (90d, female)	
2-phenoxyethanol (122-99-6)		
STOT-single exposure	May cause respiratory irritation.	
STOT-repeated exposure :	Not classified	
Additional information :	Based on available data, the classification criteria are not met	
Aspiration hazard :	Not classified	
Additional information :	Based on available data, the classification criteria are not met	
11.2. Information on other hazards		
11.2.1. Endocrine disrupting properties No additional information available		

11.2.2. Other information

Potential adverse human health effects and	: Based on available data, the classification criteria are not met
symptoms	

SECTION 12: Ecological information

12.1. Toxicity	
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified
Not rapidly degradable	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

AHS	
Persistence and degradability	Biodegradable.
Ethanol (64-17-5)	
Persistence and degradability	Biodegradable.
2.3. Bioaccumulative potential	
AHS	
Bioaccumulative potential	No bioaccumulation.
 12.4. Mobility in soil No additional information available 12.5. Results of PBT and vPvB assessmen 	t
AHS	
This substance/mixture does not meet the PBT crit	teria of REACH regulation, annex XIII
This substance/mixture does not meet the vPvB cr	iteria of REACH regulation, annex XIII
No additional information available 12.7. Other adverse effects Additional information SECTION 13: Disposal considerations 13.1. Waste treatment methods	: Avoid release to the environment.
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Additional information	: Handle empty containers with care because residual vapours are flammable.
Naste / unused products	: Avoid release to the environment.
HP Code	 : HP3 - "Flammable:" flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C; flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air; flammable solid waste: solid waste which is readily combustible or may cause or

SECTION 14: Transport information In accordance with ADR / IMDG / IATA

ADR	IMDG	ΙΑΤΑ
14.1. UN number or ID number		
UN 1993	UN 1993	UN 1993
14.2. UN proper shipping name		
FLAMMABLE LIQUID, N.O.S. (Ethanol)	FLAMMABLE LIQUID, N.O.S. (Ethanol)	Flammable liquid, n.o.s. (Ethanol)
Transport document description		
UN 1993 FLAMMABLE LIQUID, N.O.S. (Ethanol), 3, III, (D/E)	UN 1993 FLAMMABLE LIQUID, N.O.S. (Ethanol), 3, III	UN 1993 Flammable liquid, n.o.s. (Ethanol), 3, III
14.3. Transport hazard class(es)		
3	3	3

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	ΙΑΤΑ
14.4. Packing group		
Ш	111	III
14.5. Environmental hazards		·
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No
No supplementary information available		·
4.6. Special precautions for user		
overland transport		
Classification code (ADR)	: F1	
Special provisions (ADR)	: 274, 601	
imited quantities (ADR)	: 51	
acking instructions (ADR)	: P001, IBC03, LP01, R001	
lixed packing provisions (ADR)	: MP19	
ortable tank and bulk container instructions ADR)	: T4	
ortable tank and bulk container special provisions ADR)	: TP1, TP29	
ank code (ADR)	: LGBF	
ehicle for tank carriage	: FL	
ransport category (ADR)	: 3	
pecial provisions for carriage - Packages (ADR)	: V12	
pecial provisions for carriage - Operation (ADR)	: S2	
lazard identification number (Kemler No.)	: 30	
Drange plates	30 1993	
unnel code	: D/E	
AC code	: •3YE	
ransport by sea		
pecial provisions (IMDG)	: 223, 274, 955	
imited quantities (IMDG)	: 5 L	
Packing instructions (IMDG)	: LP01, P001	
BC packing instructions (IMDG)	: IBC03	
ir transport		
CA Limited quantities (IATA)	: Y344	
CA limited quantity max net quantity (IATA)	: 10L	
CA packing instructions (IATA)	: 355	
CA max net quantity (IATA)	: 60L	
CAO packing instructions (IATA)	: 366	
CAO max net quantity (IATA)	: 220L	
pecial provisions (IATA)	: A3	

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

: None.

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Cosmetic Regulation (1223/2009)

Not applicable.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
H225	Highly flammable liquid and vapour.	
H302	Harmful if swallowed.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	
STOT SE 3	Specific target organ toxicity - Single exposure, Category 3, Respiratory tract irritation	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Flam. Liq. 2	H225	Calculation method
Eye Irrit. 2	H319	Calculation method

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.